

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| L1    | 309  | 340/10.4.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:46 |
| L2    | 179  | 340/10.5.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:47 |
| L3    | 271  | 340/10.51.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:47 |
| L4    | 2738 | 340/10.\$.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:47 |
| L5    | 898  | 4 and (oscillation oscillator oscillating VCO)                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:47 |
| L6    | 231  | 5 and (eeprom nonvolatile (non adj volatile))                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:49 |
| L7    | 68   | 6 and (backscatter (back adj (scatter scattering)) backscattering) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:51 |
| L8    | 3059 | programmable near4 (oscillation oscillating oscillator)            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:48 |
| L9    | 15   | 4 and 8  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/10/31 12:48 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L10 | 16   | (calibrate calibrating) with (oscillator oscillating) with (RFID tag transponder)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:48 |
| L11 | 184  | ((multiprotocol multifrequency (multi adj (protocol frequency)) programmable) with (rfid tag transponder)) and (backscatter (back adj scatter)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:49 |
| L12 | 105  | 11 and (eeprom nonvolatile (non adj volatile))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:49 |
| L13 | 5444 | netlist   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:49 |
| L14 | 10   | 4 and 13  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:49 |
| L15 | 1581 | NETLIST and VHDL and VERILOG  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:50 |
| L16 | 10   | 4 and 13  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:50 |
| L17 | 271  | 15 and (rfid tag transponder)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:51 |
| L18 | 18   | 17 and (backscatter (back adj (scatter scattering)) backscattering)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:51 |
| L19 | 468  | NETLIST with VHDL with VERILOG  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:51 |

## EAST Search History

|     |    |                               |   |    |    |                  |
|-----|----|-------------------------------|---|----|----|------------------|
| L20 | 48 | 19 and (rfid tag transponder) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/10/31 12:51 |
|-----|----|-------------------------------|---|----|----|------------------|